DeVilbiss

By Binks

2025 | Automotive Refinishing

Experience the difference.

Binks

TABLE OF CONTENTS

DV1 SPRAY GUNS	**3-4**
PROLITE GUNS	**5**
GPG/FLG/SLG GUNS	**6**
TRU-CLEAN GUN CLEANER UNIT, TRU-CURE UV-LED	**7**
TRU-CURE PORTABLE INFRARED UNITS	**8**
RESPIRATORS & BREATHABLE AIR	**9**
DEKUPS EVO DISPOSABLE CUPS AND ACCESSORIES	**10-13**
GRAVITY, SUCTION & PRESSURE FEED CUPS	**14**
PRESSURE TANKS, LINERS & ACCESSORIES	**15**
AIR DRYING	**16 -17**
AIR FILTRATION	**18-19**
AIR REGULATORS, VALVES & GAUGES	**20**
HOSE & HOSE FITTINGS	**21-22**
CLEAN PRODUCTS	**23-24**
ACCESSORIES	**25-27**

DV1

ENGINEERING MEETS ARTISTRY

A New Generation of Spray Guns

Features & Benefits

- Transfer Efficiency
- Superior Atomization
- Less Mottling
- Balanced Spray Pattern
- Stabilized Air Distribution
- Consistent Performance
- Optimal Color Match
- Easy To Maintain
- Innovative Fluid Tip

DV1 Guns & DV1s Gun - 3 Gun Bundle

Part Number 704703 3-Gun Bundle Includes:

Gun	Air Caps
DV1 Base Coat Gun (P/N 704504)	1.2, 1.3, 1.4 HVLP B+ Air Cap
DV1 Clear Coat Gun (P/N 704521)	1.2, 1.3, 1.4 C1+ & C2+ Air Caps
DV1s Spot Repair Gun (P/N 704532)	1.0, 1.2 S1+ HVLP Air Cap

Part Number 704702 3-Gun Bundle Includes:

Gun	Air Caps
DV1 Base Coat Gun (P/N 704504)	1.2, 1.3, 1.4 HVLP B+ Air Cap
DV1 Clear Coat Gun (P/N 704521)	1.2, 1.3, 1.4 C1+ & C2+ Air Caps
GPG Primer Gun (cupped) (P/N 905026)	1.4, 1.6 PR10 and PR30 Air Cap

DV1 SPRAY GUNS

DV1 BASECOAT

Includes:

- DV1-B PLUS (HVLP) air cap
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter

Order No.	Fluid Tips	Guns	Air Cap
704504	1.2, 1.3 & 1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DV1-B+ HVLP PLUS
704528	1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DV1-1+A HVLP

DV1 CLEARCOAT

Includes:

- DV1-C1 & DV1-C2 PLUS HVLP air caps
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter

Order No.	Fluid Tips	Accessories	Air Cap
704521	1.2, 1.3 & 1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DV1-C1+ HVLP PLUS, DV1-C2+ HVLP PLUS

DV1s REPAIR

Includes:

- DV1-M1, DV1-S1 Plus HVLP and DV1-S2 air caps
- Multiple fluid tips
- Premium digital gauge
- Tool kit

Order No.	Description	Air Cap	Tip(s)	Cup Type
704531	DV1s M1 HVLP Gravity Gun Kit	DV1-M1	0.7, 0.9	125mL, Acetyl Cup
704532	DV1s S1 HVLP Gravity Gun Kit	DV1-S1	1.0, 1.2	125mL, Acetyl Cup
704533	DV1s S2 HVLP Gravity Gun Kit	DV1-S2	1.0, 1.2	125mL, Acetyl Cup

Features & Benefits

- Lightweight design
- Uniform pattern & atomization
- Exceptional finish quality
- Range of air caps for water & solvent materials
- Ergonomic handle design
- Built to last

Basecoat/ Clearcoat Gravity

Repair Gravity

Suction/Pressure

PROLite®

Basecoat/Clearcoat Gravity

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905038	PROLite Gravity y HVLP Gun Kit	HV30	1.2mm, 1.3mm	-	HAV-555
905039	PROLite Gravity HVLP Gun Kit	HV30	1.3mm, 1.4mm	-	HAV-555
905040	PROLite Gravity HVLP Gun Kit	HV30	1.2mm, 1.3mm	900ml, Aluminum	HAV-555
905041	PROLite Gravity HVLP Gun Kit	HV30	1.3mm, 1.4mm	900ml, Aluminum	HAV-555
905042	PROLite Gravity HVLP & High Efficiency Gun Kit	TE20 & HV30	1.3mm, 1.4mm, 1.5mm	-	HAV-555
905043	PROLite Gravity High Efficiency Gun Kit	TE10 & TE20	1.2mm, 1.3mm, 1.4mm	900ml, Aluminum	HAV-555
905044	PROLite Gravity High Efficiency Gun Kit	TE10 & TE20	1.2mm, 1.3mm, 1.4mm	-	HAV-555
905045	PROLite Gravity High Efficiency & HVLP Gun Kit	TE25 & HV30	1.2mm, 1.3mm, 1.4mm	-	HAV-555

PROLite®

Repair Gravity

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup
905081	PROLite-S Gravity HVLP & High Efficiency Micro Gun Kit	MC1, HV5	0.6mm	125mL, Acetal
905082	PROLite-S Gravity HVLP & High Efficiency Kit	HV5, TE5	1.0mm	125mL, Acetal

PROLite®

Suction/Pressure

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905125	PROLite Pressure Conventional Gun Kit	C797	1.4mm	-	-
905123	PROLITE SUCTION (C30, 1.8, UNCUPPED)		1.8mm	-	-
905128	PROLite Pressure High Efficiency Gun Kit	TE40	1.2mm	-	-
905131	PROLite Pressure HVLP & High Efficiency Gun Kit	TE40/HV40	1.0mm, 1.4mm,	-	HAV-501
905132	PROLite Pressure HVLP & High Efficiency Gun Kit	TE40/HV40	1.0mm, 1.2mm, 1.4mm	-	HAV-501
905135	PROLITE SUCTION (GPG2, 2.0, 2.2, CUPPED)	GPG2	2.0mm, 2.2mm	Black UV	-
905139	PROLITE SUCTION (TE10, 1.6, 1.8, CUPPED)	TE10	1.6mm, 1.8mm	Black UV	-

GPG/FLG/SLG GUNS

GPG™

Features & Benefits

- Rugged forged aluminum
- Robust & smooth air valve design
- Suitable for primers, waterborne & UV materials
- DeVilbiss atomization quality
- High flow fluid nozzles

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905016	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.4mm, 1.5mm	900mL, Aluminum	HAV-501
905012	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm	900mL, Aluminum	HAV-501
905013	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm	560mL, Acetal	HAV-501
905014	GPG GRAVITY High Efficiency Gun Kit	GPG2	1.8mm, 2.2mm	560mL, Acetal	-
905015	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm, 1.4mm	900mL, Aluminum	HAV-501
905019	GPG GRAVITY High Efficiency Gun Kit	7E7	1.3mm, 1.4mm	-	HAV-555
905020	GPG GRAVITY High Efficiency Gun Kit	7E7	1.3mm, 1.4mm	900mL, Aluminum	HAV-555
905021	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm	-	HAV-555
905022	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm	900mL, Aluminum	HAV-555
905026	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR30	1.4mm, 1.6mm	900mL, Aluminum	-
905027	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR 30	1.8mm, 2.0mm	900mL, Aluminum	-
905028	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR 30	2.5mm	900mL, Aluminum	-
905036	GPG GRAVITY HVLP & High Efficiency UV Primer Gun Kit	PR10 & PR 30	UV1, UV2	560mL, UV Cup	-

FLG™

Pressure Gravity

Features & Benefits

- Balanced, ergonomic handle
- Smooth action trigger shape
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge	Material Feed
905161	FLG Pressure HVLP Gun Kit	FLG-693	1.4mm, 1.8mm	-	HAV-501	Pressure
905162	FLG Pressure HVLP Gun Kit	KB-555 2 QT	1.4mm, 1.8mm	KB-555 2QT	-	Pressure
905163	FLG Gravity HVLP Gun Kit	FLG-693	1.3mm, 1.4mm, 1.8mm	900ml, Aluminum	HAV-501	Gravity
905165	FLG Gravity HVLP Gun Kit	FLG-693	1.8mm, 2.0mm	900ml, Aluminum	-	Gravity

SLG™

Features & Benefits

- Balanced, ergonomic handle
- Smooth action trigger
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape

Top Assembly Part Numbers

Order No.	Kit	Guns Included	Fluid Tip (mm)	Cup(s) Included	Accessories Included
802342	2-Gun Painting & Touch Up	Finish Coat Detail	1.3 1.0 1.8	One 600cc (20 oz.) One 250cc (8.5 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802343	2-Gun Painting & Priming	Finish Coat Primer	1.3 1.5 1.8	Two 600cc (20 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802789	3-Gun Painting	Finish Coat Primer Detail	1.3 1.8 1.0	Two 600cc (20 oz.) One 130cc (4 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802405	Detail Gun only		1.0	One 250cc (8.5 oz.)	None

TRU-CLEAN GUN CLEANER UNIT

TRUClean™ GCS | TRUClean™ GCC

TRISK DeVilbiss

Quickly, safely, and efficiently cleans spray guns & application components with either waterborne or solvent-based cleaning media

Features & Benefits: GCS and GCC

- Five-nozzle wash bay for powerful and efficient
- Robust & serviceable cleaning nozzle design - Easy-to-service with quick release mechanism
- Strong ventilation when lid is open keeps operators safe and paint kitchen free of VOC's
- Stainless Steel Washing Bay Construction
- High flow pump for effective cleaning
- Non-inverted cup mount
- Center mount exhaust port/vent
- GCC Fits 4 drums of cleaning media - 2 for recirculation, 2 for final clean rinse

Technical Specifications

	GCS Single	GCC Combo
Weight	30 kg (66 lbs.)	35 kg (77 lbs.)
Height	1120 mm (44.1")	1120 mm (44.1")
Width	582 mm (22.9")	1120 mm (44.1")
Depth	385 mm (15.2")	385 mm (15.2")
Air Consumption - Auto Cycle	<100 l/min (<3.5 cfm)	<100 l/min (<3.5 cfm)
Air Consumption - Manual Cleaning	210 l/min (7.4 cfm)	370 l/min (14 cfm)
Avg. Ventilation Air Speed	0.8 m/sec (160 ft/min)	0.8 m/sec (160 ft/m)
Extraction Capacity	10m (33ft) extr. duct 290m3/h (171cfm)	10m (33ft) extr. duct 290m3/h (171 cfm)
Air Supply	6 bar (87 psi)	6 bar (87 psi)
Drum Size	Up to 25L (6.6 gal) (depending on drum dimension)	Up to 20L (5.3 gal)
Flushing Media Types	Solvent-Based or Waterborne	Solvent and Waterborne
Part #	TC-GC-01	TC-GC-11
Order #	904200	904201

Technical Specifications

	UV-LED	Battery
Battery Type	-	Lithium-ion
Voltage	18.5 VDC	18.5 VDC
Max. Current	-	10 A
Power	100 W	37 Wh / 2 Ah
Weight	1.2 kg (2.6lbs)	0.45 kg (0.99lbs)
Operating Temp.	0 - +35°C (0 - +95°F)	0 - +35°C (0 - +95°F)
Storage Temp.	-20 - +70°C (-20 - +158°F)	-20 - +45°C * (-20 - +158°F)
Charging Temp.	-	+5 - 40°C (+5 - 104°F)
Wavelength Peak	395 nm	-
Degree of Protection	IP 4X	IP 2X
Part #	TC-UV-01	-
Order #	904000	-

Curing Intensity at 100mm

Peak	160mW/cm²
Minimum at 20mm diameter	120mW/cm²

*Store battery in cool place to extend battery life.

TRUCure™ UV-LED

Quickly cure any 395nm UV primer, putty, or clearcoat

Features & Benefits

- Handle is made from glass-reinforced polymer for strong yet lightweight design
- Molded handle is comfortable, balanced, and ergonomic
- Includes replaceable air filter, increasing the life of high cost LED and board components
- Product is shipped in custom foam molded hard case for storage, with space for extra battery
- Packaging includes battery, charger, LED unit, spare filter, and UV protective eyewear

TRISK | DeVilbiss

Complete Infrared curing range covers everything from spot repairs to hoods, roofs, and doors

Features & Benefits

- Long-life IR lamps
- Customizable timing of both full curing and flash off periods
- Easy to properly position lamps with laser guided pyrometer displaying surface temperature readout
- Stand and unit are sized to cure higher surfaces such as hood and roof
- Upgraded gas piston with long life seals precisely controls set point of upper arm
- IR3S and IR3L contain both dual and single lamp cassettes for easy adjustment and flexibility around curved parts without sacrifice to heat distribution

TRU-Cure IR2S™

TRU-Cure IR3S™

TRU-Cure IR3LT™

TRU-Cure IR6LT™

Technical Specifications

	IR2S	IR3S	IR3L	IR3LT	IR6LT
Weight	19kg (41.9 lbs.)	23kg (50.7 lbs)	47kg (103.6 lbs.)	47kg (103.6 lbs.)	63kg (138.9 lbs)
Height	1480mm (58.3")	1630mm (64.2")	2600mm (102.4")	2600mm (102.4")	2850mm (112.2")
Width	607mm (23.9")	607mm (23.9")	870mm (34.3")	870mm (34.3")	990mm (39.0")
Depth	750mm (29.5")	750mm (29.5")	1950mm (76.8")	1950mm (76.8")	1800mm (70.9")
Rated Voltage	220-240 V, 50/60Hz Single Phase, 2000W	220-240V, 50/60Hz Single Phase, 3000W	220-240V, 50/60Hz Single Phase, 3000W	220-240 V, 50/60Hz Single Phase, 3000W	220-240 V (NA), 380-420 V (UK) 50/60Hz, 1 Phase (NA), 3 Phase (UK) 6200W
Heating Elements	2 quartz, IR short wave emitters	3 quartz, IR short wave emitters	3 quartz, IR short wave emitters	3 quartz, IR with pyrometer	6 quartz, IR with pyrometer
Fuse	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	30A (NA), 16A (UK)
Max Temperature - Operation	40°C (104°F)	40°C (104°F)	40°C (104°F)	40°C (104°F)	40°C (104°F)
Max Temperature - Storage	70°C (158°F)	70°C (158°F)	70°C (158°F)	70°C (158°F)	70°C (158°F)
Part Number	TC-IR2S-01	TC-IR3S-01	TC-IR3L-01	TC-IR3LT-01	TC-IR6LT-01
Order Number	904100	904103	904106	904109	904112

Breathable Air Systems

Breathable Air Filtration

Also includes ½" ball valve shutoff for easy maintenance

Order No.	Model No.	Description	Removes Dirt to 5 Micron	Removes Liquid Water	Removes Oil Aerosols	Removes Humidity	Removes Odor
130 089	**DAD-503**	3-stage filtration with dessicant air dryer system	Yes	Yes	Yes	Yes	Yes
130087	**HAF-601**	3-stage filtration system	Yes	Yes	Yes	No	Yes
130096	**DAD-504**	Desiccant retrofit system	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500	Yes

DeMASK™

OV/N95 Reusable Multi-Purpose Respirator

Part Number	Order Number	Description
40-362	**310000**	DeMask Half Mask Resp OV/N95 Md/Lg
40-365-K2	**310001**	DeMask Half Mask OV/N95 Cartridge - 2 pk
40-366-K10	**310002**	DeMask Half Mask Pre-Filter - 10pk
40-365-K2-10	**310003**	DeMask Half Mask OV/N95 Cartridge - 10 pk of 2
40-366-K10-10	**310004**	DeMask Half Mask Pre-Filter - 10 pk of 10

NIOSH

Meets OSHA Silica Dust Requirements APF 10

High Perfromance and Superior Comfort

- Provides minimum 95% efficiency against most organic vapors
- Low-profile design fits under safety glasses and face shields
- Rolled sealing flange provides superior comfort and improved fitment
- Large inhalation/exhalation valves allow for maximum airflow in and out of mask
- Adjustable design fits almost all users with one size

DEKUPS EVO by DeVilbiss

DEKUPS EVO by DeVilbiss

Disposable Cup and Lid Refill Kits

Order No.	Model No.	Description
802220	DPV-09-125-K50	9 oz/265 ml Cup, 125 Micron Lid, Kit 50
802221	DPV-09-200-K50	9 oz/265 ml Cup, 200 Micron Lid, Kit 50
802222	DPV-09-000-K50	9 oz/265 ml Cup, No Micron Lid, Kit 50
802223	DPV-24-125-K50	24 oz/710 ml Cup, 125 Micron Lid, Kit 50
802224	DPV-24-200-K50	24 oz/710 ml Cup, 200 Micron Lid, Kit 50
802225	DPV-24-000-K50	24 oz/710 ml Cup, No Micron Lid, Kit 50
802226	DPV-34-125-K50	34 oz/1000 ml Cup, 125 Micron Lid, Kit 50
802227	DPV-34-200-K50	34 oz/1000 ml Cup, 200 Micron Lid, Kit 50
802228	DPV-34-000-K50	34 oz/1000 ml Cup, No Micron Lid, Kit 50

DPV-24-200-K50

Reusable Sleeves and Lid Holders

Order No.	Model No.	Description
802231	DPV-607	9 oz/265 ml Sleeve & Lid Holder, Kit 2
802230	DPV-606	24 oz/710 ml Sleeve & Lid Holder, Kit 2
802232	DPV-608	34 oz/1000 ml Sleeve & Lid Holder, Kit 2
802234	DPV-607-UV	9 oz/265 ml Sleeve & Lid Holder, UV, Kit 2
802233	DPV-606-UV	24 oz/710 ml Sleeve & Lid Holder, UV, Kit 2
802235	DPV-608-UV	34 oz/1000 ml Sleeve & Lid Holder, UV, Kit 2

DPV-606



DPV-606-UV

DeKUPS EVO
by DeVilbiss

Start Up Packages

Order No.	Model No.	Description
802229	**DPV-650**	**Shop Startup Kit** Cup and lid dispenser (1), 3 oz. cup (6), 9 oz. cup (25), 24 oz. cup (25), 34 oz. cup (25), Lid for 3 oz. cup (6), 125 micron lid for 9 oz. cup (20), 200 micron lid for 9 oz. cup (5), 125 micron lid for 24/34 oz. cup (40), 200 micron lid for 24/34 oz. cup (10), 9 oz. sleeve and lid holder (2), 24 oz. sleeve and lid holder (2), 34 oz. sleeve and lid holder (2), plugs (20), plug case (1), brush (1), cleaning bottle (1)"
802236	**DPV-09-DEMO**	**9 oz/265 ml Demo Kit** 9 oz. cup (10), 125 micron lid (5), 200 micron lid (5), sleeve and lid holder (1), 3 oz. cup (6), 3 oz. lid (6), plugs (10), DPC-43 cup adapter (1)"
802237	**DPV-24-DEMO**	**24 oz/710 ml Demo Kit** 24 oz. cup (10), 125 micron lid (5), 200 micron lid (5), sleeve and lid holder (1), plugs (10), DPC-43 cup adapter (1)"
802238	**DPV-34-DEMO**	**34 oz/1000 ml Demo Kit** 34 oz. cup (10), 125 micron lid (5), 200 micron lid (5), sleeve and lid holder (1), plugs (10), DPC-43 cup adapter (1)"

DPV-650

DPV-09-DEMO

DeKUPS EVO
by DeVilbiss

DeKups® Adapters

802200 / DPC-43
Adapter
(DeVilbiss & Binks Standard: DV1, PROLite, GPG, FLG, TEKNA, CVi, PLUS, GTi, PRi, JGA, M1G, Sharpe)

802206 / DPC-23
Adapter
(DeVilbiss & Binks SMART/ Touch-up: DV1-S, PROLite-S, SRi, SRiW, SRiPro, Cub)

803420 / DPC-81
Adapter
(StartingLine Full-Size, Sharpe Finex 1000, 2000, 3000)

802955 / DPC-64
Adapter
(StartingLine Touch-Up Gun)

803120 / DPC-69-K1
Suction Conversion Kit

802203 / DPC-10
Adapter
(SATA® NR 2000, RP, KLC, MCB, Jet 90 series)

802204 / DPC-11
Adapter
(SATA® NR95, Iwata LPH-400 & W400LV, Astro GF14, 17, & 20S, Finex FX 200 & 300)

803238 / DPC-502
Adapter Kit
(SATA® Minis, QCC + Threaded)

803856 / DPC-504
Adapter
(SATA® QCC full size)

803314 / DPC-78
Adapter
(Iwata SuperNova Air Gunsa, LPH300, W300)

804473 / DPC-86-K1
Adapter Kit
(Iwata LPH80)

802205 / DPC-13
Adapter
(Sagola)

802207 / DPC-15
Adapter
(Sagola: 4600 Xtreme)

802208 / DPC-16
Adapter
(Walcom: Carbon, Slim Kombat)

802340 / DPC-500
3M Conversion Adapter

802201 / DPC-26
Adapter
(Accuspray Issac)

803850 / DPC-85
Adapter
(3M Accuspray 2.0 Disposable Head, Legacy)

802209 / DPC-20
Adapter
(3M Accuspray 2.0 Disposable Head, New Design)

U.S. PATENT NOS. 7,380,680; 7,354,074; 7,353,964; 7,350,418; 7,344,040; 7,263,893; 7,165,732; 7,086,549

DEKUPS EVO
by DeVilbiss

DeKups® Accessories

802339 / DPV-90
Wall Mount Cup
& Lid Dispenser

192316
DPC-8
Cleaning Bottle

802109
DPC-22-K24
Disposable
Funnel

802212
DPC-44
Cleaning Brush

802213
DPC-6-K10
Plugs

802334 / BXX-1279
Filters & Plugs
Storage Case

Designed For Durability And Performance

Liner Collapses Evenly

Liner system provides superior fluid flow, color match, and less over mixing. Spray at any angle including upside down.

Built-in Filtration

New integrated mesh filters eliminate the need to purchase and install filters and lids separately.

Positive Locking Connection

Non-threaded easy on and off design allows for a tight and secure connection. Adapters available for virtually all guns.

Convenient Dispenser

Easily store and dispense multiple cup sizes with sturdy wall-mount dispenser.

How Does It Work?

Assembly



Shaking



Refills



Cups to Fit DeVilbiss, Binks, FinishLine, and TEKNA Gravity Spray Guns

Order No.	Model No.	Cup Size	Application
190252	**GFC-501**	20 oz. Acetal	All full size current DeVilbiss, TEKNA, Binks and FinishLine gravity guns
901430	**81-381**	8 oz. Aluminum	DeVilbiss DV1S, ProLite S, SRi, SRiW, SRiPro, and Binks Cub gravity guns
900875	**54-4458**	4 oz. Aluminum	DeVilbiss DV1S, ProLite S, SRi, SRiW, SRiPro, and Binks Cub gravity guns
905311	**905311**	4 oz. Acetal	Acetal Gravity Cup
702576	**702576**	900cc Aluminum	All full-size current DeVilbiss, TEKNA, Binks and FinishLine gravity guns
803510	**DPC-503-K24**	3 oz. Plastic	Fits on all DPC adapters
905204	**905204**	20 oz.	Black UV Gravity Cup Kit
905205	**905205**	1 pint	Acetal Gravity Cup

GFC-501

81-381

54-4458

702576

DPC-503-K24

905204

905205

Cups to Fit StartingLine Gravity Feed Cups

Order No.	Cup Size	Application
803610	**600cc Aluminum**	StartingLine Finish Coat and Primer gravity guns
803609	**250cc Aluminum**	StartingLine Detail gravity guns
803591	**600cc Aluminum**	Push-in lids (2)
803590	**250cc Aluminum**	Push-in lids (2)

803610

803609

803590

803591

Suction Feed Cups

- Patented drip-free design
- One-quart plus capacity (37 oz)

DeVilbiss Suction Feed Cups

Order No.	Model No.	Cup Size	Application
120011	**TGC-545**	1 qt. Aluminum	All full size current Binks, DeVilbiss and FinishLine suction guns
905353	**905353**	2 qt.	All full size current Binks, DeVilbiss and FinishLine suction guns

KBII Pressure Cup & Liner Kit

- Comfortable to carry
- Easy clean ups with disposable liners

Order No.	Model No.	Capacity	Regulation
120033	**KB-555**	2 qt.	Yes
192025	**KK-5051**	EZ Liner Kit for KBII, qty. 20	

Heavy-Duty Pressure Tanks

- 9.8 Gal. A.S.M.E. Code Pressure Tank
  - Quick, efficient cleanup with anti-stat liners
  - Holds a 5-gallon pail
- 2.7 Gal. A.S.M.E Code Pressure Tank
  - Available in single and double
  - Quick, efficient cleanup with anti-stat liners

A.S.M.E. Code Pressure Tanks

Order No.	Model No.	Capacity	Regulation	¾ H.P. Air Driven Agitation Included
901558	**83C-210**	2.7 gal.	Single	No
901560	**83C-220**	2.7 gal.	Double	No
901561	**83C-221**	2.7 gal.	Double	Yes
930780	**183G-520**	9.8 gal.*	Double	No (available separately)

*183G-520 holds a 5-gallon pail

Pressure Tank Liners

Order No.	Model No.	Description
192143	**PT-52**	Tank Liner (order quantity 10)
192153	**PT-52-K60**	Tank Liner
191696	**PTL-406-K20**	Tank Liner

Tank Liner Selection Chart

	Tank Liners			DeVILBISS Pressure Tanks				BINKS Pressure Tanks and Cups					
		Fits Tank Size	Case Qty.	All PT Series Tanks	QMGT-5200 QMST-5200	QMGT-5500 QMST-5500	QMGT-51000 QMST-51000	83B, 83C	183G-500 83G-500	2 Qt. Cup Steadi-Grip	83-5600 83-15600	83-5500 83-15500	83-5400
DeVilbiss	PT-52	2.7 gal.	10	X	X			X					
DeVilbiss	PT-52-K60	2.7 gal.	60	X	X			X					
DeVilbiss	PTL-406-K20	9.8 gal.	20			X			X				
DeVilbiss	PTL-410-K8	11.8 gal.	8				X						
Binks	80-356	2 qt.	12							X			
Binks	83-2878	2 gal.	12								X		
Binks	6-228-60	2 gal.	60								X		
Binks	6-238-60	2 gal.	60									X	
Binks	6-239	5 gal.	24										X

DeVilbiss PT-52 series tank liners also fit Binks 83B and 83C tank series
DeVilbiss PTL-406 series tank liners also fit Binks 83G-500 and 183G-500 tank series
Binks PTL-408 series tank liners also fit DeVilbiss QMGT-5500 and QMST-5500 tank series

Accessories

192231
PTS-2GAL-K20-400
2.7 gal. strainer

130090
HGS-5242
Fluid regulator

192242
HAR-511
60 CFM fluid pressure tank regulator

191696
PTL-406-K20
9.8 gal tank liner

180073
VS-532
Filter assembly

180053
QMG-418
Agitator assy.

180042
JGA-444
Fluid tube

Dad-Pro™
Desiccant Air Drying System

CAMAIR® by DeVilbiss

Worry Free Air Filtration for Top-Quality Paint Jobs

- First stage filter removes oil, water and dirt down to 5 microns.
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns.
- Desiccant tank removes water vapor and humidity down to a dew point of -40° F.
- Bagged desiccant and automatic drains for ease of maintenance.

Order No.	Description
130546	DAD-PRO Desiccant Air Drying System
130504	Replacement Desiccant Cartridge
130536	50 scfm 2-Stage Filter Assy with Regulator
130538	Replacement Water Separator Element
130539	Replacement Oil Coalescing Element
130544	Filter Mounting Bracket
130545	Float Drain Kit

130536 130536 CAMAIR® 50 SCFM 2 STAGE & REG

Replaceable Desiccant Cartridge for Easy Maintenance

Dad-500 ™
Desiccant Air Dryer System

Avoid Costly Re-dos

- Properly maintained air filtration system eliminates moisture and dirt in air lines
- Install at point of use

Order No.	Model No.	Description
130026	DAD-500	3-stage desiccant air dryer system

Also includes ½" ball valve shutoff for easy maintenance

Compare DeVilbiss filtered air vs. unfiltered air DeVilbiss' DAD-500 filters out contaminants to .01 micron

CleanAir = Better Finish

UNFILTERED AIR FILTERED AIR

Compare the humidity reading before and after filtering with DeVilbiss DAD-500

READING BEFORE FILTERING
(70.2% Relative humidity)

READING AFTER FILTERING
(.2% Relative humidity)

Ct30 & Ct30p Desiccant Cartridge Dryers

CAMAIR by DeVilbiss

Easy Change Desiccant Air Dryer

- CT series desiccant air dryers remove water vapor from the compressed air down to a dew point of -40° F
- Quick change 10 lb. desiccant cartridge bag is made of a special fiber media which removes oil aerosols and solid particles down to 0.1 micron meaning no need for coalescing or final filters
- Install at point of use
- 30 CFM air flow capacity

Order No.	Description
130500	Desiccant Air Dryer wall mount
130501	Desiccant Air Dryer portable with stand
130504	Desiccant Cartridge

Camair Qc3 Filter and Dryer Unit

CAMAIR by DeVilbiss

A Great Choice for Light Usage Such as Low Volume Shops, Restorers, Customizers, and Hobbyists

- Three-stage filtering with 0.1 micron rating produces clean, oil- and humidity-free air.
- High performance filtration with only 2 PSI pressure drop.
- Quick change filter cartridge is easy to maintain. Bowl removal tool included.
- Larger filter media and longer life desiccant than disposable dryers
- Install at point of use

Order No.	Description
130525	Desiccant Filter and Dryer Unit
130524	QC3 Filter and Desiccant Cartridge Replacement

CAMAIR by DeVilbiss

Air Filtration/Regulation Systems

- Compact and effective—perfect for cramped shop spaces
- Removes dirt, water and oil from air lines to 0.01 micron—assures superior finishes
- Quick change bowls and air inlet valve accommodate rapid, trouble free maintenance without shutting off main shop air
- Combine 2-stage filter with the CT-30 desiccant dryer to create a CT Plus 5-stage filter system
- 65 SCFM @ 90 PSIG

130523
2-Stage w/Regulator



Order No.	Description
130523	2-stage filter unit with regulator

Automatic Drain With Y-Strainer Valve

CAMAIR by DeVilbiss

Automatically Drains Water from Compressed Air Systems

Order No.	Description
130512	Automatic drain with Y-strainer valve

- Use with air compressors, water separators and at drop legs
- Adjustable interval time and drain time
- Removable filter for easy cleaning
- Includes electric timer, ¼" Y-strainer valve with filter screen and 6 ft. power cord

CT Plus™ 5-Stage Filter System

CAMAIR by DeVilbiss

Complete Compressed Air Treatment and Drying Center

Worry Free Air Filtration for Top Quality Paint Jobs

- First stage filter removes oil, water and dirt down to 40 micron
- Second stage coalescer removes oil vapors and dirt particles down to .01 micron
- CT30 desiccant tank repeats dirt and oil aerosol removal and removes humidity

Order No.	Description
130522	CT Plus 5-stage desiccant filter system
130517	Filter element, water (1st stage)
130518	Filter element, coalescing (2nd stage)
130504	DC30 desiccant cartridge

30 CFM Air Flow Capacity

- Longer desiccant life
- Air inlet valve shuts off CT Plus™ air without having to shut off shop air
- No tools needed to change first and second stage filters
- Easy change-out desiccant cartridge bag

Ergonomic, Self-Relieving Regulator

Waterborne Compatible

Clean Air™
Air Line Filters and Control Units

Air Filtration and Regulation Systems Remove Dirt, Oil Vapor, and Water from Air Lines

HAF-518 Quick Facts:

- 1st Stage 5 micron filter
- 2nd Stage .01 micron filter
- Easier maintenance comes with manual flexible drain

Removes dirt, water and oil–perfect for low humidity conditions

Order No.	Model No.	Description
130098	HAF-518	Two-stage filtration system, including centrifugal and coalescer w/ 60 CFM regulator
130041	13-0041	100 CFM air line filter
130042	13-0042	100 CFM air line filter w/ 60 CFM regulator

ACCESSORIES

130093 / HAR-600
60 CFM regulator w/gauge

190771 / HAF-18
Automatic drain

Whirlwind™ Disposable Air Filter

Order No.	Model No.	Description
130028	HAF-507	Whirlwind Filter (order qty. 12)

DeVilbiss Whirlwind: Longer Life and Less Pressure Drop

Patented Two-Stage Filter:

Stage 1- Swirl Chamber:
Removes large water droplets

Stage 2- Filter Media:
Removes smaller water droplets, oil droplets, and dirt particles

Can be used with all HVLP spray guns

All Other Competitive Filters:

- Water droplets saturate the filter media — shortening the life of the filter
- Smaller inlet surface area increases pressure drop

Finishline® Air Control Unit

FINISHLINE by DeVilbiss

Order No.	Model No.	Description
130099	HAR-602	120 CFM air line filter w/ 50 CFM regulator
192315	HAF-39	120 CFM Filter element and gasket kit
803643	HAR-680	80 CFM air control unit with 50 CFM regulator
803641	HAF-47	80 CFM Filter element and gasket kit

Includes:

- 5 micron particle filter
- Mounting bracket
- Regulator and gauge

The Value Leader

- Removes moisture and dirt
- Regulates air pressure

ACCESSORIES

192314 / GA-375
Gauge for HAR-520 regulator

192315 / HAF-39
HAR-602 Element Kit

130100 / HAR-520
50 CFM regulator for HAR-602

Air Regulators

For Precise Control of Air Delivery

Order No.	Model No.	Description
130516	**130516**	75 CFM air regulator, gauge and valve (regulator available separately as 130521)
130093	**HAR-600**	60 CFM air regulator, gauge and valve (regulator available separately as HAR-507)
192242	**HAR-511**	60 CFM air regulator — Flow through regulator for pressure tanks
130100	**HAR-520**	50 CFM air regulator - non-relieving (purchase GA-375 gauge separately)



130516
Inlet ½" NPT (F)
Outlet ½" NPT (F)

HAR-600
Inlet ⅜" NPT
Outlet ¼" NPT (3 ea.)

HAR-511
Inlet ⅜" NPT (F)
Outlet ¼" NPT (F)



HAR-520
Inlet ⅜" NPT (F)
Outlet ¼" NPT (F)

Gun Mounted Air Adjusting Valves, Regualtors, and Gauges

DGi Pro Pod Digital Gauge Specifications:

- Easily maintain consistent, accurate air pressure
- Easy-to-read, easy-to-adjust
- Displays working pressure to within 0.7 psi (0.05 bar) to optimize gun performance
- Mounts at eye-level for quick, easy checking
- Turns on automatically when the spray gun is triggered
- Smooth control for fast, accurate pressure adjustments
- Fully ATEX Approved – gun washer safe

Order No.	Model No.	Max. Inlet Pressure	Max. Reg. Pressure PSI	Air Inlet	Air Outlet
130015	**HARG-510**	175	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
704307	**704307**	175	N/A	-	-
180005	**HAV-500**	175	N/A	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180006	**HAV-501**	160	0–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180089	**HAV-511**	160	0–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803236	**HAV-512**	100	0–100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
802419	**HARG-555**	160	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803289	**DGI-101**	160	2.5–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803291	**HAV-555**	160	2.5–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
704427	**704427**	175	N/A	-	-

HAV-555

704307

704427 DV1 GAUGE

HAV-511

HAV-501

HAV-512

HARG-555 Digital

HARG-510

HAV-500

Hose

Premium Hose Helps Ensure Premium Paint Jobs

Smooth Cover — Spray and Air Tool Hose

Can be used for all kinds of air-operated equipment. Smooth brick-red cover, synthetic rubber compound tube with high tensile strength braid. Hose offers superior resistance to oil, weathering, ozone and abrasion. Can be used with reusable or permanent crimp connections. Maximum application temperature: 150°F

Nyliner II Fluid Hose

Ideal for use with a wide range of materials such as resins and solvents contained in latices, epoxies, urethanes, alkyds, primers, acrylics, ketone, MEK, acetone, polyesters, silicones, bitumastic coatings, oil and water-based paints, lacquers, latex coatings, toluene, turpentine, naptha, and many other solvents. Tube is nylon; cover is black neoprene rubber; yarn reinforced. Can be used with permanent crimp or reusable connections. Maximum application temperature: 150°F

Air Hose Assemblies

Size I.D.	Hose Assy Order No. Model No.	Length of Hose (feet)	Bulk Hose#	Connection Thread Size	Type of Connection	Connection Nut & Nipple
5/16"	**220002 HA-2125**	25	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
5/16"	**220004 HA-2150**	50	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
3/8"	**220049 HA-5825**	25	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	**220052 HA-5867**	35	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	HC-4719 P-HC-4528
3/8"	**220054 HA-5835**	35	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	**220047 HA-5850**	50	H-1958	1/4" NPS (F) Swivel"	Three-Piece Reusable	240033 P-HC-4528

HA-5867 HVLP Air Hose Assembly includes HC-4719 High Volume Air Quick Disconnect and HC-4419 Stem.

Fluid Hose Assemblies

Size I.D.	Hose Assy Order No. Model No.	Length of Hose (feet)	Bulk Hose#	Connection Thread Size	Type of Connection	Connection Nut & Nipple
3/8"	**220008 HA-7325**	25	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	**220040 HA-7335**	35	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	**220045 HA-7350**	50	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
1/4"	**220055 HA-7535**	35	H-1975-1	3/8" NPS (F)	Three-Piece Reusable	240034 P-HC-4543

Air/Fluid Hose Set (for use with KBII Cup)

Order No. Model No.	Length	Bulk Air Hose	Bulk Fluid Hose	Connection Thread Size	Type of Connection	Connection Nut & Nipple
220019 KB-4006	5' 9"	210002 H-1921		1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
	6' 3"		210007 H-1975-1	3/8" NPS (F)	Three-Piece Reusable	240034 P-HC-4543

Bulk Hose Chart

Type of Hose	Size I.D.	Size O.D.	Bulk Hose Model No.	Maximum Working Pressure (PSI)	Feet/Reel	(Order No.)
Smooth	1/4"	1/2"	**H-1957**	250	500	**210003**
Cover	5/16"	5/8"	**H-1921**	250	500	**210002**
Air	3/8"	11/16"	**H-1958**	250	500	**210004**
Nyliner II	1/4"	1/2"	**H-1975-1**	500	500	**210007**
Fluid	3/8"	11/16"	**H-1973-1**	500	500	**210006**

Hose Fittings

Designed to Optimize Air Flow for Top Spray Gun and Air Tool Performance

Reusable Connections
Hose Size and Type

Size I.D.	Size O.D.	Fits DeVilbiss Hose No.	(M) Male (F) Female Connection Thread Size	Straight Connections Female Complete Connection No.
1/4"	1/2"	H-1957 H-1975-1	1/4" NPS (F) 3/8" NPS (F)	P-HC-4523 P-HC-4543
5/16"	5/8"	H-1921	1/4" NPS (F) 1/4" NPS (M)	P-HC-4527 P-HC-4599
3/8"	11/16"	H-1973-1	1/4" NPS (F) 3/8" NPS (F) 1/4" NPT (M)	P-HC-4528 P-HC-4548 P-HC-4955

Quick Disconnects - High Flow Ball and Ring Lock Type

(A)

(B)

(C)


(D)

(For use with HVLP Spray Equipment)

Connection No.	Order No.	Thread Size
HC-4719 (A)	**240147**	1/4" NPT (M)
HC-4720 (B)	**240148**	1/4" NPT (F)

Stem Number	Order No.	Thread Size
HC-1166 (C)	**240015**	1/4" NPT (M)
HC-4419* (D)	**240145**	1/4" NPS (F)

*Designed for spray guns. Special cone seat prevents leaks!

Nipples (MBE) Male Both Ends

Part Number	Straight Type Male Thread	Male Thread
AD-31	1/4" NPS	1/4" NPS
H-2008	1/4" NPS	1/4" NPT
H-1446	3/8" NPS	3/8" NPS
AD-11	3/8" NPS	3/8" NPT

Adapters

Part Number	Straight Type Male Thread	Female Thread
AD-404	1/4" NPS	3/8" NPS
P-H-4105	3/8" NPS	1/4" NPS

Valves - Ball Type

Part Number	Thread
VA-540	3/8" NPS (M) x 3/8" NPT (M)
VA-542	1/4" NPS (M) x 1/4" NPT (M)
VA-595	1/2" NPT (M) x 1/2" NPT (M)

Coupler

Part Number	Thread
SSP-69	1/4" x 1/4" NPT (F)



NPT = tapered NPS = straight	
(M) = Male (F) = Female	Whenever possible, match straight threads with straight threads and tapered with tapered. Otherwise, leakage may occur.

Special Cone Seat Prevents Leaks!

DeVilbiss® Reusable Coverall

Order No.	Size
803596	Medium
803597	Large
803598	XL
803599	3XL

DeVilbiss® Disposable Coverall

Order No.	Size
803671	Medium
803672	Large
803673	XL
803674	3XL

DeVilbiss® Hooded Lab Coat

Order No.	Size
803664	Medium
803665	Large
803666	XL
803667	3XL

DeVilbiss® Premium Coverall

Order No.	Size
803531	Medium
803532	Large
803533	XL
803534	2XL
803535	3XL
803536	Knee Pads, set of 2

DeVilbiss® Dirt Control Floor Coat

- Significantly reduces buffing time caused by dirt in paint jobs
- Reduces airborne particles in a spray booth by trapping them to booth floor
- Can be used in concrete floor paint booths, ideal f or shops spraying waterborne (not for use with painted concrete, tile, or grated floors)
- Water-based, reduces VOC exposure
- Helps reduce static in paint booth, preventing paint contamination

Order No.	Description
803491	Dirt Control Floor Coat (5 gal.)
803492	2-gallon Pump Sprayer

DeVilbiss® Booth Wall Coat

- Protects paint booth surfaces from paint overspray
- Sprayable masking liquid
- Peels off easily

Order No.	Description
803668	Booth Wall Coat (1 gal.)

DeVilbiss® Clear Glass Coat

- Peelable glass surface coating

Order No.	Description
803669	Clear Glass Coat (1 quart)

Flame Retardant Booth Paper

Highly Absorbent

- Suitable for floor, wall and equipment cover while spraying

Size: 60" x 300'

Order No.	Model No.	Description
900116	29-865	Flame Retardant Booth Paper

DeVilbiss® Bumper Prep Pad

- Clean, abrade and degrease in one easy step
- Reduces steps in bumper prep process to increase efficiency
- Provides comprehensive abrasion for better adhesion

Order No.	Description
803557	All-In-One Bumper Prep Pad (1 per pkg.)

DeVilbiss® Paint Prep Wipes

- Virtually lint free
- Waterborne compatible
- 1/4 Fold format - ready to use
- Strong, absorbent non-woven materials
- 300/carton

Order No.	Model No.	Description
DC-101	**803657**	Paint Prep Wipes

DeWipe-Outs® Pre-Saturated Prep Wipe

- 11" x 17" each
- 50 wipes per pouch
- Reduces buffing
- "Static Killer" formula reduces static charge and static-related dirt

Order No.	Description	Application
803045	85% IPA/15%DI Water	Most climates
803046	50% IPA/50%DI Water	Warmer/dryer climates or heated spray booths
803418	Acetone blend, California exempt	VOC compliant California blend Must be used w/803048 storage case
803048	Storage case w/lid gasket and snap closure	

Scrubs® Hand Cleaner Towels

Order No.
192218

Bucket of 72 Scrubs

Pre-moistened, Heavy-Duty Towels Easily Remove Soil from Your Hands

For Automotive Collision Repair Technicians

- Portable and convenient
- Conditions and softens
- Use on tools, equipment and work surfaces.
- Works fast on dirt, oils, adhesives, lubricants, paints, grease, tar, urethanes, epoxies, inks and dyes, sealants and caulks.

SHIM-MASK® By DeVilbiss

Ideal for:

- Paint and clearcoat runs
- Imperfections
- Minimizing exposed area when sanding paint-filled chips or scrapes
- 3 per package

Order No.	Description
803654	Shim-Mask

Demo Kits

Order No.	Description
803853	**Clean Kit Low VOC** Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs Low VOC, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster
803854	**Clean Kit Normal Climate** Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 85/15 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster
803855	**Clean Kit Dry Climate** Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 50/50 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster

TACK WIPE® By DeVilbiss

- Compatible with all paints
- Non-toxic
- Wax and silicone-free
- Engineered to leave no residue
- Use to remove dirt, dust and sanding particulates from surface

Order No.	Model No.	Description
803816	**TCK-101-K12**	Cotton Tack Wipe
803817	**TCK-121-K12**	Polyester Tack Wipe

DeVilbiss® Anti-Static Wiper

- Dry wiper reduces paint defects caused by static imbalance
- Neutral surface eliminates issues caused by dirt and airborne particles, allows for better metallic orientation and flow of clearcoats
- Use before sealer, base or clearcoats—no marring
- For both waterborne and solvents

Order No.	Description
803553	Anti-Static Wiper (1 per package)

Gravity Airbrush (.35mm)

Excellent Control

- Hairline detail to high paint-flow shading and gradual fades
- Smooth double action trigger
- Pre-set handle for precise control of paint flow

Durable

- Solvent proof fluid passages
- Copper, nickel and chrome plated body

Value

- Crown cap standard for fine lines and needle protection
- Collector storage tin included
- Larger capacity cups

DAGR® Airbrush

Order No.	Model No.	Description
802609	**DGR-501G-35**	DAGR® Gravity Airbrush
803125	**DGR-603**	DAGR® Studio (Gravity Airbrush, 2 ½ oz. Cups & 10 ft. Braided Hose)

DAGR® Studio **DGR-603**

Everything the Automotive Artist needs to get started!

- DAGR airbrush with 1/3 oz. cup
- 1/2 fl. oz. (14cc) cup and lid – ideal for spraying larger areas without refilling
- 10 ft. braided nylon air hose

HGS Fluid Regulator

Regulates pressure from 2–50 PSI

Order No.	Model No.
130090	**HGS-5242**

- 3/8" NPS (M) fluid inlet
- 3/8" NPS (F) swivel fluid outlet
- Regulates pressure from 2-50 PSI

- 3/8" NPS thread
- Keeps hose from dragging over work and prevents twisted lines

AF Filters™ Exhaust Air Filters

Order No.	Model No.
928678	**29-2186**

High Holding Capacity for All Dry Spray Booths



Size: 3' x 30'
90 sq. ft. of surface area/8 pleats per foot

Average Removal Efficiency: 98.1%

Gravity Spray Gun Holders

Gravity Gun Holders

Order No.	Description
192219	**Wall Mount Gun Holder** Protective coating prevents scratches on gravity cups
803616	Multi Spray Gun Holder



Fluid Strainers

Order No.	Model No.	Application	Description	Max. Working Pressure
190181	**KGP-5-K5**	Gravity Cup	Fluid Strainer	N/A
240129	**PLH-MF-6-100**	Pressure Gun	Fluid Strainer	250 PSI
180073	**VS-532**	Pressure Gun	Fluid Strainer	300 PSI
191925	**VS-58-K10**	Replacement screen for VS-532	Screen-100 Mesh	N/A
240131	**PLH-MFC-100**	Replacement screen for PLH-MF-6-100	Screen-100 Mesh	N/A



DeKones Paint Strainers

Clean. Fast. Efficient.

Premium Paint Strainers

Patented Design

- No contamination – all gluing and imprinting done on outside
- No double meshed tip – eliminates unstrained paint passing through the tip
- Fast and strong

Nylon Strainers

- Lint free
- Consistent mesh sizes for optimum filtration

Waterborne Compatible *

* Waterborne compatible when using a plastic or disposable cup system.

Order No.	Description
802351	Nylon – Fine, 190 micron, 100/box, (Order qty. 10)
802353	Nylon – Fine, 190 micron, 250/bag, 1000/case
802352	Nylon – Medium, 226 micron, 100/box, (Order qty. 10)
802852	Nylon – Superfine, 125 micron, 250/bag, 1000/case
803253	Nylon – Superfine, 125 micron, 100/ctn

Professional Spray Gun Cleaning Kit

Order No.
192212

Solvent Saver™ Hose & Gun Cleaner

A Real Time Saver

Cleans fluid hoses quickly without wasting solvent

Order No.	Model No.	Capacity
180037	**HD-503**	2 qt.

Gun Wrenches

Order No.	Model No.	Description
702740	702740	10mm and 14mm wrench, for use with TEKNA® spray guns
180008	WR-103	Contains all necessary sizes for use with all DeVilbiss guns and many other brands
900712	54-3918	For use with M1-G, M1-G Clear and Mach 1 HVLP spray guns
900431	5-476	For use with 2001 spray gun (not shown)
704429	704429	DV1 tool kit

E-Z Liners

Order No.	Model No.	Description
190966	OMX-70-K48	E-Z Liner Kit (48 liners & bushings)

Most Economical Disposable Paint Cup System Available

- Saves time with easy clean up and less mess
- Saves money by greatly reducing solvent use for clean up

Gravity Spray Gun Cup Lids

Order No.	Model No.	Description
190944	GFC-404-K2	Disposable Lid Kit for GFC-502 and 702576 gravity cups (Kit of 2)
190225	GFC-402	Lid Assembly Kit for GFC-501 gravity cup

Paint Strainers

Order No.	Model No.	Description	Pkg. Qty.
901441	81-82	White Fine Mesh – 145 (100 Micron)	5
901442	81-83	Blue Medium Mesh – 100 (149 Micron)	5
901443	81-84	Red Coarse Mesh – 80 (177 Micron)	5

Spray Gun Lube

Order No.	Model No.	Description
181001	SSL-10	Spray Gun Lube

- Contains no silicone or petroleum distillates
- Compatible with all paint materials
- 2 oz. bottle

Binks®

Experience the difference.

Binks is a leading global manufacturer of products and systems for the supply, application and curing of sprayed and dispensed materials. Binks serves a variety of industries, including automotive, pharmaceuticals, food and beverage, and manufacturing. With decades of experience, Binks continues to set the standard for precision, reliability, and innovation in fluid technology solutions.

BINKS.COM

A powerful solution can start with a simple conversation.

We want to help build the best solution to your application challenges. Learn more about what we can offer by reaching out to the office nearest you.

India/SE Asia	44.0.120 257.1111	marketing-roa@binks.com
Americas	1.800.992.4657	marketing@binks.com
EMEA	44.0. 120 257.1111	marketing-eu@binks.com
China	86.21.33730108	mkt_cn@binks.com
Japan Sales Office	81.45.785.6421	jp-rans-tokyosales@binks.com
Japan Binks/DeV	81.45.785.6421	jp-binks-devi@binks.com

©2025 Binks. Models and specifications subject to change without notice. All rights reserved 09-456-01